

## **ALSV-2 THRU ALSV-8 UV STERILIZERS**



LT OPTION INCLUDES: · EPOXY POTTED PLUG-IN BALLAST.



· POWER ON / OFF SWITCH.

- · POWER AND OVER TEMPERATURE LED INDICATORS LIGHTS.
- · LCD HOUR METER.
- · OVER TEMPERATURE AIR AND WATER CUTOUTS.
- · NEMA 4X RATED CONTROL BOX.
- · INDIVIDUAL LAMP INDICATOR LIGHTS.
- · UL-508A RATED CONTROL BOX.

ALSV UV STERILIZER SPECIFICATIONS																
MODEL NO.	LAMP/ WATTS	VOLTS	AMPS. / WATTS	*W	W2	W3	Н	~Н1	~Н2	*STANDARD WATER IN / OUT WATER CONNECTIONS	MAXIMUM WATER FLOW RATE (GPM) AT UV INTENSITY μWsec/cm2 @ 90% TRANSMISSIBLITY 85% AT END OF LAMP LIFE					
											20K	30K	45K	60K	90K	120K
ALSV-2	2/190	115	1.8 / 207	18"	12"	10"	28"	22.75"	5.5"	2" UNION	120	80	53	40	27	20
ALSV-3	3/285	115	2.5 / 287	22"	14"	12"	29"	21"	8.5"	3" UNION	227	151	101	76	50	38
ALSV-4	4/380	115	3 / 345	22"	14"	12"	29"	21"	8.5"	3" UNION	319	213	142	106	71	53
ALSV-5	5/475	115	4.5 / 517	22"	14"	12"	29"	21"	8.5"	4" FLANGE	423	282	188	141	94	70
ALSV-6	6/570	115	5.4 / 621	24"	19.5"	17.7"	31"	19.5"	8"	4" FLANGE	558	372	248	186	124	93
ALSV-8	8/760	115	7.2 / 828	24"	19.5"	17.7"	31"	19.5"	8"	4" FLANGE	800	533	355	266	177	133

- · ALSV-6-LT AND ALSV-8-LT MODELS HAVE TWO PLUG-IN BALLAST.
- · FLOW RATES BASED ON "END OF LIFE", LAMP OUTPUT OF 85% AT 9000 HOURS.
- · ALL DIMENSIONS ARE APPROXIMATE AND SUBJECT TO CHANGE WITHOUT NOTICE.
- · ADD -LT OR -DX TO PART NUMBER TO SELECT POWER OPTION DESIRED
- · ALL UNITS 50 PSIG MAXIMUM OPERATING PRESSURE.



· 20K AND 30K KILL RATES NOT RECOMMENDED WITH THE STANDARD SIZE WATER CONNECTIONS. CONTACT AQUA LOGIC FOR OPTIONAL WATER CONNECTION SIZES.



POWER CORD PLUG TYPE

115V 15 AMP

#5-15P

8268 Clairemont Mesa Blvd San Diego, CA 92111

SHEET #

1 OF 1

DRAWING # SHEET TITLE ALSV-2 THRU 8 DESCRIPTION \* COPYRIGHT \* UV SPECIFICATION These drawings including design idea and construction techniques herin are the sole property of Aqua Logic Inc. They shal not be revised, copied, or reproduced in an UV STERILIZERS DATE REVISION DRAWN BY SCALE

12/17/2014

ARNALDO GUZMAN